



Future State: Ambulatory - PPD Administration and Reading

Cerner Workflow ID: 6511 (v. 15.0) Client Workflow ID: 222

Last updated by Lezlie Leduc, Jan 03, 2024 10:05pm (UTC -5 hours)

Workflow Details:

Workflow Name: Ambulatory - PPD Administration and Reading

Workflow State: Future State

Workstream: Ongoing Assessment and Treatment

Venue: Ambulatory

Client Owner:

Cerner Owner:

Standard: Yes

Related Workflow(s):

Tags:

Workflow Summary:

Service Line:

Related Solution(s): Cerner Millennium EMR - Ambulatory

Project Name: Niagara Health System:OPT-0297674:NIAG_CD Niagara HIS RFP

TestBuilder Script(s):

Cerner Workflow ID: 6511 (v. 15.0)

Client Workflow ID: 222

Workflow Notes:

Introduced By: WS 4

Validated By: WS 5

Swim Lane:

Role(s): Provider/Prescriber [Custom]

Department(s):

Security Position(s): Physician - Primary Care

Nurse Practitioner

Urgent Care - Nurse Practitioner

Physician Assistant

Urgent Care - Physician Assistant

Physician - Urgent Care

Start/Stop [3]

Description: Patient needs PPD skin test

Work Step [4]

Description: Order tuberculin purified protein derivative

Method: PowerOrders

Comments: Select the tuberculin medication order with the complete order sentences. Make sure venue is set to In Office.

Future State: Ambulatory - PPD Administration and Reading

Cerner Workflow ID: 6511 (v. 15.0) Client Workflow ID: 222

Last updated by Lezlie Leduc, Jan 03, 2024 10:05pm (UTC -5 hours)

System [7]

Description: Medication Task is generated

Swim Lane:

Role(s): Ambulatory Nurse

Department(s):

Security Position(s): Ambulatory - RN/LPN Templates
Ambulatory - MA Templates
Ambulatory - RN/LPN
Ambulatory - MA
Ambulatory - Nurse Manager
Urgent Care - Medical Assistant
Urgent Care - Nurse

Work Step [65]

Description: Document TB risk screening questions.

Method: PowerForm

Comments: Risk screening can vary by state and may be required to be documented on paper. Risk screening can be access via ad hoc folder.

Off Page Reference [10]

Workflow Link: Ambulatory - In Clinic Medications

System [13]

Description: PPD Reading POC Task will be available 48 hours after the medication task has been completed

Step Impact: Training

Work Step [15]

Description: Patient arrives to clinic within 48 to 72 hours

Decision [82]

Description: Will the PPD reading be completed within the health network or at an external facility?

Start/Stop [107]

Description: Cancel the future PPD Reading order and select "Completed Elsewhere" as the cancel reason

Future State: Ambulatory - PPD Administration and Reading

Cerner Workflow ID: 6511 (v. 15.0) Client Workflow ID: 222

Last updated by Lezlie Leduc, Jan 03, 2024 10:05pm (UTC -5 hours)

Method: PowerOrders

Work Step [86]

Description: Activate the PPD Reading order on the new encounter

Method: PowerOrders

Work Step [87]

Description: PPD Reading POC task will appear on the task list

Document [88]

Description: Document Reading within associated PowerForm

Method: PowerForm

Comments: Task to complete the form will be generated by the AMB_TB_SKIN_ASSESSMENT rule 48 hours after the administration.

Order details for the TB administration will pull into the PPD Reading PowerForm.

Work Step [94]

Description: Schedule a new appointment for second test for 1-3 weeks after the initial test and repeat process

Start/Stop [100]

Description: PPD Reading can be printed from the Medical Records Request

Work Step [95]

Description: PPD test complete