



ENTERING MEDICAL DIRECTIVES (CCRT)

- 1) In the patient chart, go to orders, then select +Add.




The screenshot shows the patient chart for ICU50, Serenity. The 'Orders' menu is open, and the '+ Add' option is highlighted with a red box. The patient information at the top includes MRN:10004050, Admin Sex:Female, DOB:05/May/1950, Allergies:codeine, Age:74 years, and Alerts:No Alerts Documented. The 'Orders' section shows a list of orders, including 'Admission/Transfer/Discharge', 'Diet', and 'Activity'.

- 2) In the search box type "CCRT". All "CCRT Medical Directives" will be listed.



The screenshot shows the 'Add Order' screen for ICU50, Serenity. The search box contains 'CCRT', and the search results are displayed in a list. The first result is 'CCRT Medical Directive - Management of Anaphylaxis/Allergic Reaction 710-040-001'. The patient information at the top includes MRN:10004050, Admin Sex:Female, DOB:05/May/1950, Allergies:codeine, Age:74 years, Attending:Raizman, Alla, Dose Wt:68.000 kg (23-Aug... HCN: Inpatient FIN: 10-004050 [Admit Dt: 2024-Aug-15 09:59:00...].

3) Select which medical directive you would like to initiate.



ICU50, Serenity - Add Order

ICU50, Serenity MRN:10004050 Allergies: codeine Attending:Raizman, Alla Loc:SC 2BB; SC2B11; B
Admin Sex:Female DOB:05/May/1950 Age:74 years Dose Wt:68.000 kg (23-Aug... HCN:
*Code Status:<No Data Avail... Isolation:<No Data Availabl...Alerts:No Alerts Documented Inpatient FIN: 10-004050 [Admit Dt: 2024-Aug-15 09:59:00...

Diagnoses & Problems

Diagnosis (Problem) being Addressed this Visit

Add Convert Display: Active

Annotated Display	Code
Acute arterial ischemic st...	2644233012

Problems

Add Convert No Chronic Problems

Display: All

Annotated Display	Name of Problem
Hypercholesterolemia	Hypercholesterolemia


Search: CCRT

Advanced Options Type: Inpatient

- CCRT Medical Directive - Management of Anaphylaxis/Allergic Reaction 710-040-001**
- Consult to CCRT (Critical Care Response Team)
- Communication Order - CONCURRENT
- Concerta
- Concerta (18 mg, PO, TAB-ER 24H, daily)
- Concerta (27 mg, PO, TAB-ER 24H, daily)
- Concerta (36 mg, PO, TAB-ER 24H, daily)
- Concerta (54 mg, PO, TAB-ER 24H, daily)
- Concerta (18 mg, PO, TAB-ER 24H, once)
- Concerta (36 mg, PO, TAB-ER 24H, once)
- Concerta (27 mg, PO, TAB-ER 24H, once)
- ◆ Cyclocort 0.1% topical ointment
- insulin glargine (concentrated) 300 units/mL subcutaneous
- insulin glargine (concentrated) 300 units/mL subcutaneous (unit(s), SUBCUT, INJ, daily)
- insulin glargine (concentrated) 300 units/mL subcutaneous (unit(s), SUBCUT, INJ, HS)

ICU50, Serenity - 10004050 Done

4) Select the empty box for which intervention you will be initiating. (There is only 1 medical directive in the sandbox).



Orders Medication List Document In Plan

View

- Orders for Signature
- Plans
 - Document In Plan
 - Medical
 - Parenteral Nutrition (PN) 2 in 1 Bag via Central Ven
 - ICU Mechanical Ventilation (Planned)
 - Patient Admission Orders (Initiated)**
 - ICU Admission (Initiated)
 - Nursing

Component


CCRT Medical Directive - Management of Anaphylaxis/Allergic Reaction

- △ Patient Care
- Please see CCRT - Management of Patients with Anaphyl
- △ Medications
 - EPINEPHrine (EPINEPHrine 1 mg/mL (1:1,000) injection)**
 - EPINEPHrine (EPINEPHrine 1 mg/mL (1:1,000) injection)

Notifications:

- Order details are not complete.

- After the empty box is selected, click on "Initiate Now". Select which physician is covering CCRT at the time of initiation. Select "Medical Directive" as the communication type. Press "OK".




The screenshot shows the 'Ordering Physician' dialog box with the following fields:

- *Physician name:** [Empty text box]
- *Order Date/Time:** 25/Oct/2024 1245 EDT
- *Communication type:**
 - Phone with Read Back (Cosign)
 - Verbal with Read Back (Cosign)
 - Written
 - Clinical Intervention
 - Initiate Plan
 - Downtime Back Entry
 - Medical Directive** (highlighted in blue)
 - IPAC Isolation Order

At the bottom right of the main interface, the 'Initiate Now' button is highlighted with a red box. A red arrow points from this button to the 'Medical Directive' option in the dialog box.

- Select the BLUE "X" to complete the order. Fill out the dose, dose units, route of administration and frequency. Then click on orders for signature.



The screenshot shows the 'Details for EPINEPHrine (EPINEPHrine 1 mg/mL (1:1,000) injection)' form. The 'Dose' field is highlighted with a red box. A red arrow points from the 'Initiate Now' button in the previous screenshot to the 'Orders For Signature' button at the bottom right of this form.

At the bottom right of the form, the 'Orders For Signature' button is highlighted with a red box.



TIP SHEET

HOSPITAL INFORMATION SYSTEM (HIS)

7) Click on "Sign".

Order Name	Status	Start	Details
CCRT Medical Directi...	Initiated ...		placing 1 order(s)
SC 2BB; SC2B11; B Fin:10-004050 Admit: 2024-Aug-12 07:00			
Medications			
EPINEPHrine (EPINEP...	Order	2024-Oct-25 13:00	1 mg, IM, once, First Dose: 25/Oct/2024 13:00 EDT, Stop Date: 25/Oct/2024 13:00 EDT

Details

0 Missing Required Details Dx Table Orders For Cosignature Orders For Nurse Review **Sign**