


### Placing the Darbeпоetin Order on Hold

#### Placing the Darbeпоetin Order on Hold

When a patient's Darbeпоetin Order must be placed on hold, due to the monthly Hgb results, you must go into the **Neph Erythropoietin Management (ESA) Powerplan**.

Navigate to the Orders Section from the Table of Contents (Dark Blue Menu) and select Orders.


From the **View** panel, select the **NEPH Erythropoietin Management (ESA) Powerplan**



The screenshot displays the HIS interface for patient ZZZTEST, DONOTUSE MALESEVEN. The 'Orders' menu item is highlighted in the dark blue sidebar. The main view shows the 'View' panel for the 'NEPH Erythropoietin Management (ESA) (Planned)' power plan. The 'Orders' section is expanded, showing a list of orders. The 'darbeпоetin alfa' order is selected, showing a medication order for 120 mcg, IV, INI, weekly. The 'Erythropoietin-Stimulating Agents (ESA) Dosage Adjustment Tables' section is visible, containing a table for darbeпоetin alfa (Aranesp®) Dosage Adjustment Table.

Current Dose	Increase Dose To:	Decrease Dose To:
10 micrograms q2 weeks	10 micrograms q week	Hold, check Hgb with monthly bloodwork
10 micrograms q week	20 micrograms q week	10 micrograms q2 weeks

Select the Darbeпоetin order and click **Modify**.



NEPH Erythropoietin Management (ESA) (Planned)  
Last updated on: 2024-Nov-06 12:27 by: Hall, Cheryl

Admission/Transfer/Discharge  
The purpose of this order set is for the administration and management of Intravenous Erythropoiesis-Stimulating Agents (ESA) for the Management of Chronic Anemia


Patient Care  
Physician to order initial dose for darbepoetin.  
Nurse to cancel/discontinue the dose and 'add to phase' the adjusted dose as appropriate as per the ESA adjustment table.

Communication Order  
06/Nov/2024 12:27 EST, Maintain target Hemoglobin (Hgb) between 100 g/L

Medications  
darbepoetin alfa **Modify** 20 mcg, IV, INJ, weekly

Dose Adjustments  
Notify Prescriber Laboratory Results  
Nurse to order CBC when

If prompted, enter the name of the **Ordering Physician** and select the appropriate **Communication Type**.



Ordering Physician

\*Physician name  
Lagrottena, Darryl D.


\*Order Date/Time  
06/Nov/2024 12:38 EST

\*Communication type  
IPAC Isolation Order  
Phone with Read Back (Design)  
Verbal with Read Back (Design)  
Written  
Downtime Back Entry

OK Cancel

In darbepoetin alfa Details window, navigate to the **Special Instructions:** field.

In the text box type \*\*\*\*\* ON HOLD \*\*\*\*\*



Medications  
darbepoetin alfa 120 mcg, IV, INJ, weekly, \*\*\*\*\*ON HOLD\*\*\*\*\*

Dose Adjustments

Details for darbepoetin alfa

Details Order Comments Offset Details Diagnoses

\*Dose: 120  
\*Route of administration: IV  
\*Frequency: weekly  
Duration unit:  
PRN reason:  
Administer over unit:  
First Dose Priority:  
Special Instructions: \*\*\*\*\*ON HOLD\*\*\*\*\*

\*Dose Unit: mcg  
Drug Form: INJ  
Duration:  
PRN: Yes No  
Administer over:  
First Dose Date/Time: EST  
Use Patient Supply: Yes No  
Research Account:



# TIP SHEET

## HOSPITAL INFORMATION SYSTEM (HIS)

Select **Plan for Later** and **Sign**. Refresh

Looking at the Darbepoetin order, you can see the Special Instructions field \*\*\*\*\***ON HOLD**\*\*\*\*\* displays to the right of the order sentence.



Now, **Deselect** the darbepoetin order by unchecking the check box to the left of the order.



Select **Plan for Later**, **Sign**, **Refresh**

